




## Guangzhou Zhiying Technology Co., Ltd

 Block 15th, No.200 Fangcun Avenue East, Liwan District, Guangzhou, China, 510000

 [support@syncoaudio.com](mailto:support@syncoaudio.com)

 [www.syncoaudio.com](http://www.syncoaudio.com)

 <https://www.facebook.com/syncomicrophones>

**Mic-M1 Microphone >>> User Manual**

Thank you for choosing SYNCO Mic-M1,  
Please read this manual carefully before use and follow all instructions mentioned herein.



# Contents

● Package List.....	1
● Feature Introduction.....	2
● Caring For Your SYNCO Mic-M1 Microphone.....	2
● Operations.....	3
1. The Use of Windshield	
2. The Use of Microphone	
● Specifications.....	4
● Warranty.....	4

## Package List

(Package includes the following items)



SYNCO Mic-M1 Microphone x1



User Manual x1



3.5mm TRS Camera Cable x1



3.5mm TRRS Phone Cable x1




Shock Mount x1



Specialized Windshield x1



Cotton Wind Muff x1



Leather Pouch x1

## Feature Introduction

- Cardioid directivity for minimizing peripheral environmental noises
- Electret condenser catches more audio details
- Shock mount mitigates unwanted vibrations
- Specialized windshield minimizes the noise and vocal plosives
- No battery required
- Professional and compact on-camera microphone
- Compatible with camera, camcorder, audio recorder, smartphone and other audio/video recording devices


## Caring For Your SYNCO Mic-M1 Microphone

- Please keep the product in a dry, clean, dust-free environment.
- Keep corrosive chemicals, liquids and heat source away from the product to prevent mechanics damage.
- Use only a soft and dry cloth for cleaning the product.
- Malfunction may be caused by dropping, impact of external force.
- Do not attempt to disassemble the product. Doing so voids warranty.
- Please have the product checked or repaired by authorized technicians if any malfunctions happened.
- Failure to follow all the instructions may result in mechanics damage.
- Warranty does not apply to human errors.

## Operations

### 1. The Use of Windshield

SYNCO Mic-M1 comes with the specialized windshield to eliminate the noise caused by wind or friction while recording. Please install the windshield to the microphone as shown below.



### 2. The Use of Microphone


- For Camera Series (camera, camcorder, audio recorder, and other audio/video recording devices)
  - ① Attach the shock mount to your device via the cold shoe mount or 1/4" screw hole on the bottom of the shock mount.

- ② Mount the microphone onto the shock mount, and connect the microphone with your device via the 3.5mm camera cable.
- ③ Turn on your device and start recording.

- For Phone Series (smartphone, tablet, Mac)
  - ① Connect the microphone with your device via the 3.5mm phone cable.
  - ② Open the audio or video recording application on your device and begin recording.

## Specifications

### 1. Polar Pattern: Cardioid



### 2. Performance Parameter

Transducer	Electret Condenser
Polar Pattern	Cardioid
Frequency Response	35Hz~18KHz
Signal/Noise	76dB
Sensitivity	-42dB +/-2dB / 0dB=1V/Pa, 1kHz
Connector	3.5mm TRS and TRRS connector
Dimensions	Φ22*81mm
Weight	26g

## WARRANTY

### Warranty Period

Thank you for purchasing SYNCO products.

1. Customers are entitled to free replacement or repair service in case of quality defect(s) found in the product under normal use within 30 days upon receipt of the product.

2. Original SYNCO products are entitled to **12-month** limited warranty service. The warranty period begins on the date of purchase of brand new, unused products by the first end-user.

Within the warranty period, if product defect or failure is attributable to material deflection or technological problem, the defective product or defective part will be repaired or replaced without charge (service and materials fee).

### Warranty Exclusions and Limitations

- Faults resulted from inappropriate use of a product without following its operation specification
- Artificial damage, e.g. crash, squeeze, scratch, or soaking
- Modifications to a product by its user or a third party without prior written consent of SYNCO, e.g. replacement of element or circuit, label alteration
- The code on product is inconsistent with that of warranty certificate, or the code on the product or warranty certificate is altered or torn off
- All consumable accessory attached to a product, like cable, wind muff, battery
- Faults as a result of force majeure, such as fire, flood, lightning, etc.

### Warranty Claim Procedure

- If failure or any problem occurs to your product after purchase, please contact a local agent for assistance, or you can always contact SYNCO's customer service through email at [support@syncoaudio.com](mailto:support@syncoaudio.com).
- Please retain your sales receipt and warranty certificate as proof of purchase. If any of these documents is missing, only sales return or chargeable service will be provided.
- If the SYNCO product is out of the warranty coverage, the service and the parts cost will be charged.

## WARRANTY CERTIFICATE

Please register your warranty. Meanwhile, you are welcomed to contact us via Email : [support@syncoaudio.com](mailto:support@syncoaudio.com)

USER INFORMATION	Customer Name:
	Phone Number:
	Email:
	Address:
SALES INFORMATION	Sales Date:
	Model:
	Product Code:
	Dealer:
REPAIR RECORD	Service Date:
	Technician:
	Issue:

RESULT

Solved

Unsolved

Returned(Replaced)

